EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S103	183	summary same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/05 15:16
\$107	17	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20030217078-\$ or US-20020194173-\$ or US-20020194173-\$ or US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$ or US-6660841-\$). did.	US-PGPUB; USPAT	OR	ON	2009/11/05 15:50

S110	286	(compar\$3 match\$3) near5 (data information) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S114	1155	(blast near5 search\$3) same biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S115	311	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S116	1	(blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S117	303	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S118	32	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (exist\$3 redundan\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S119	116	(blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (redundan \$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S120	183	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S121	103	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S122	4	(check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) same (deposit \$3 archiv\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S123	2	(blast near5 search\$3) near10 biolog\$4 and (mirror \$3 near5 (database (data adj base) repositor\$3)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S124	9	(mirror\$3 near5 (database (data adj base) repositor\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S125	3	(mirror\$3 near5 (search\$3 updat\$3)) and 702/19.cds. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S126	1	(planaria near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S127	2	(planarian near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S128	141	(planaria\$1 and (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S129	87	(planaria\$1 and (database (data adj base))) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S130	1	"20020102604"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S131	988	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S132	4	updat\$4 same (blast near5 (search\$3 quer\$4)) same (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S133	20	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S134	38	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "702".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S135	18	S134 not S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S136	12	(blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "707".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S137	18	(blast near5 (search\$3 quer \$4)) near10 (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11

S138	5	(updat\$4 repeat\$3 loop\$3) with (blast near5 (search\$3 quer\$4)) with (automatic\$4 interval dynamic\$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S139	4078	(updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S140	0	(updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and 707/3.cds. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11

S141	16	(divi\$4 partition\$3) near5 (remain\$3 unfinished undone incomplete) near5 (job queue) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S142	22	(divi\$4 partition\$3) near5 (search\$3 quer\$5) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S143	47	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S144	8	("2001/0053957").URPN.	USPAT	OR	ON	2010/05/11 13:23
S145	47	(divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S146	5	("5577249" "5706498" "5862325" "5970500" "6303297").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S147	44	(blast) near5 (search\$3 quer \$4 compar\$4) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S148	16	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$3) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11

S149	111	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S150	61	(add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S151	8	("5900871" "5907326" "5678039" "5944790" "5664206" "5579223" "6349275" "6567973").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11

S152	1	"6163785".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S153	11	(US-20010049676-\$ or US-20030217078-\$ or US-20030133556-\$ or US-20020194173-\$ or US-20030036857-\$ or US-20030125315-\$).did. or (US-7231390-\$ or US-5852715-\$ or US-6343275-\$).did.	US-PGPUB; USPAT	OR	ON	2010/05/11 13:23
S154	1	10/532198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S155	13	(federat\$3 near5 (search\$3 quer\$4)) and (database (data adj base)) near5 (dna biolog \$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S156	2	(period\$6 interval\$2) near5 updat\$3 near5 result same (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S157	5	(period\$6 interval\$2) near5 updat\$3 same blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S158	176	(period\$6 interval\$2) near5 updat\$3 and blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S159	819	(period\$6 interval\$2) same blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S160	11	S159 and input near5 sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S161	2	(period\$6 interval\$2) near5 updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S162	2	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S163	144	(period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S164	0	S163 and 707/3.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S165	30	S163 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S166	70	(period\$6 interval\$2) near10 blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S167	22	S158 and ("707" "705" "709" "715" "702").das.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S168	15	(period\$6 interval\$2) near10 updat\$3 near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S169	22	(period\$6 interval\$2) near10 updat\$3 same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S170	294	(period\$6 interval\$2) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S171	5	S170 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
\$172	39	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (period \$6 interval\$2 daily monthly quarterly) near5 (quer\$3 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S173	51	(period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 near5 (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S174	39	(period\$6 interval\$2 daily monthly quarterly) same updat\$3 same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S175	333	(period\$6 interval\$2 daily monthly quarterly) same (determin\$5 check\$3 identif \$4) same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S176	29	ξt 1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S177	115	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2010/05/11
S178	5	(period\$6 interval\$2) near10 updat\$3 and S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S179	1661352	S177 and cdna and expressed sequence tag and pharma\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S180	1	S177 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S181	604	(quer\$4 search\$3) near5 result and cdna and expressed near5 sequence near5 tag and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S182	2	(quer\$4 search\$3) near5 result and cdna same expressed near5 sequence near5 tag same pharma\$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S183	13	(quer\$4 search\$3) near5 result same cdna same expressed near5 sequence near5 tag and pharma\$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S184	762	(period\$5 daily monthly quarterly yearly annually) near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S185	30	S184 and (blast tblast) near5 (search\$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S186	194	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S187	6	(period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (blast tblast) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S188	15	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did.	US-PGPUB; USPAT	OR	ON	2010/05/11 13:23
S189	1	S188 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S190	137	(quer\$4 search\$3) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S191	13	S190 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S192	515	(blast tblast) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S193	18	S192 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S194	72	S190 and pharma\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S195	1047	(tblast blast) near5 (search\$3 quer\$4) same cdna same expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S196	693	S195 and (@pd<"20021022" @ad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S197	2	S196 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S198	4086	(tblast blast) near5 (search\$3 quer\$4) and cdna same expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S199	104	S198 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S200	45	S199 and (@pd<"20021022" @ad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S201	1168	(search\$3 quer\$4) near5 sequence near5 set and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11

S202	320	\$201 and blast near5 (search \$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S203	267	\$201 and blast near5 (search \$3 quer\$4) same (database (data adj base) repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S204	25	\$201 and blast near5 (search \$3 quer\$4) same (multiple plural\$3) near5 (database (data adj base) repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S205	6	\$204 and (display\$3 present \$5 view\$3 review\$3) near5 (result summary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S206	306	immunohistological and situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S207	11	immunohistological same situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S208	83	immunohistological and situ adj hybridization and blast\$ near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S209	12	immunohistological same result and situ adj hybridization same result and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S210	20	immunohistological and situ adj hybridization near5 (display\$3 present\$5) and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11
S211	184	summary same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23

S212	2	\$211 and immunohistological \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S213	19	quer\$4 same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S214	53	immunohistological same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
\$215	17	(US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20030217078-\$ or US-20020194173-\$ or US-20030118599-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$ or US-6660841-\$).did.	US-PGPUB; USPAT	OR	ON	2010/05/11

S216	3	S215 and situ	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 13:23
S217	2	S163 and 707/3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:17
S218	21505	707/3 707/999.003	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:17
S219	6	S110 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18
S220	0	S115 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18

S221	1	S117 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18
S222	9	S120 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18
S223	3	S121 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18
S224	3	S131 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18
S225	0	S196 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/11 14:18

S226	966	(search\$3 quer\$3) near5 result and cdna and pharma\$ and sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:26
S227	684	\$226 and blast near5 (search \$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:26
S228	0	(search\$3 quer\$3) near5 result same cdna and (search \$3 quer\$3) near5 result same pharma\$ and (search\$3 quer \$3) near5 result same sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:27
S229	178	(search\$3 quer\$3) near5 result same cdna and pharma \$ and sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:28

\$230	25	(search\$3 quer\$3) near5 result same cdna and pharma \$ and (search\$3 quer\$3) near5 result same sequence near2 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:28
S231	18	\$230 and blast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/12 12:30

5/12/2010 1:04:31 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_532_198_case. wsp